

# HUSSMANN®

## Glass Door Merchandisers



BCH-85

BCH-18



BCH-68



BCH-45

*Shown with  
customer-provided  
graphics*

# Increased Capacity and Efficiency!

## BCH Medium Temp Glass Door Merchandiser

The BCH family of medium-temperature glass-door merchandisers provides reliable cooler performance, maximum merchandising space and a removable refrigeration cassette for quick, easy service. When placed side by side, the BCH models perfectly match Hussmann's low temp LTH vertical merchandisers, giving your store an attractive, consistent look and feel.

## Get More Merchandising Space (You'll Use It)

Because all of the refrigeration components are located in the cassette underneath the case, most of the case interior is available for product display. This gives you more interior space than any competitive unit to merchandise on the four adjustable wire racks. Each rack has a built-in 1-1/2" h product stop. The stainless-steel bottom deck is also built to merchandise product.

## Innovative Cassette Refrigeration System – A Hussmann Exclusive!

All BCH models feature the new proprietary medium temperature cassette refrigeration system that is only available from Hussmann. This revolutionary refrigeration system makes service and maintenance of the unit quick and easy, minimizing service costs and refrigeration downtime.


The R-134A cassette refrigeration system includes the compressor, condenser, hot gas condensate pan and many of the components usually found inside the cooler display area, such as evaporator, evaporator fan motors, expansion valve and temperature control.

## Save Your Food (From Defrost) and Save Energy

By removing all of the refrigeration components from the actual display area, the cassette system protects displayed product during defrost better than any other system on the market (since the defrost actually takes place outside of the refrigerated display compartment). Product is not exposed to excessive rise in temperature, and pulling the display compartment back down to operating temperatures is quicker. Displayed product lasts longer and case energy consumption is reduced.



Shown with custom graphic sign.



## Standard Features/Benefits

- Self-contained system—no plumbing required
- Fans shut off automatically when door is opened, conserving energy and protecting product
- Positive seal self-closing doors
- Convenient switch to turn off all lighting
- State-of-the-art electronic controls
- Energy efficient evaporator fan motors
- Digital temperature display for easy monitoring of interior case temperatures
- Convenient power cord for quick installation and start-up
- Foam-insulated case ends increasing structural integrity and providing a quieter operating case
- Standard 1-1/2" adjustable leveling pods, NSF-approved and shipped installed
- Extruded, welded corners and aluminum door frame
- Adjustable wire shelves
- Left-hand swing door
- Stainless steel bottom shelf, removable for easy cleaning
- The front air intake and discharge design of the cassette unit allows placement of the case up against a wall or another case without having to leave space behind it for exhaust air to escape
- Hermetic compressors for lower noise level and improved efficiency
- Three-pane heated low "E" coated glass doors for the latest in energy efficiency and merchandise viewing
- Standard frameless exterior lighted sign to maximize your sales message (graphics optional, not available on the BCH-8s)
- Customer-supplied header graphics installed
- Fluorescent lights with electronic ballasts for brilliant case illumination
- Integrated cabinet light that doesn't take up interior space (clamps can be removed without unloading shelves)
- Matching 1-, 2-, and 3-door LTH low temperature models, offering side-by-side placement for sales of frozen food items.


## Options & Accessories

- Black painted exterior
- Black painted interior
- LED light kit\*
- Extra wire display racks
- Price tag molding
- Display baskets (replace shelf)
- Shelf dividers
- Horizontal interior light
- Leg kit
- Caster kit
- "Buzzer" alarm feature
- Reversible condenser fan motor
- Stainless steel cabinet
- Right-hand door (BCH-8s & BCH-18)
- No heat door (BCH-8s only)

\*Requires locking plug when LEDs are specified



BCH 18 shown below



## Specifications

MODEL	NO. WIRE UPPER DISPLAY SHELVES	CANS	NO. CAN FACINGS	12 OZ. BOTTLES	20 OZ. BOTTLES	NO. 20 OZ. BOTTLE FACINGS	WIDTH CENTER SHELF	DEPTH CENTER SHELF	WIDTH LEFT/RIGHT SHELF	DEPTH LEFT/RIGHT SHELF
BCH-8S	3	392	8	224	168	7	21"	19"	NA	NA
BCH-18	4	900	10	450	415	9	25 7/8"	25 1/2"	NA	NA
BCH-45	8	1870	16	945	760	16	NA	NA	24"	26"
BCH-68	12	2760	24	1380	1115	25	25 3/4"	26"	24"	26"

Model	Doors	Cu. Ft. Cap.	L	Dimensions						Electrical					NEMA Plug Nos.	Ship Weight	A/C Load (BTU/h)	Energy Consumption (kWh/day)	Energy Consumption (kWh/day)** LED
				Exterior			Interior (Useable)			Unit H.P.	Voltage HZ/PH	Run Amps	Fuse Size	Power Cord					
				D*	D End Only	H**	L	D	H										
BCH 8S	1	10.6	24-5/8"	27-5/8"	23-5/8"	60-3/4"	20-5/8"	18-1/8"	40-5/8"	1/2	115/60/1	8.8	15-AMP	Yes	5-15P	310	1984	4.23	3.8
BCH 18	1	22.0	29-3/8"	34"	30"	80-3/4"	25-3/8"	23-1/2"	54"	1	115/60/1	11.5	15-AMP	Yes	5-15P	535	4200	5.8	5.2
BCH 45	2	41.0	52"	34"	30"	80-3/4"	48"	27-1/2"	56"	(2) 1/2	115/60/1	11.7	15-AMP	Yes	5-20P	1014	8400	8.58	7.3
BCH 68	3	68.6	78-1/4"	34"	30"	80-3/4"	73-1/4"	26-13/16"	54"	(2) 3/4	115/60/1	13.5	20-AMP	Yes	5-20P	1036	8400	11.38	9.4

Note: All BCH cases use R-134A refrigeration \*Note: Depth dimension "D" includes 1-1/2" for door handle \*\*Note: Overall height includes 1-1/2" for leveling pods \*\*\*Estimated numbers

These merchandisers are designed for use in stores when temperature and humidity do not exceed 80° and 55% RH. Case is designed for holding pre-chilled product only.

We reserve the right to change or revise specifications and product design in connection with any feature of our products. Such changes do not entitle the buyer to corresponding changes, improvements, additions, or replacements for equipment previously sold or shipped.



Ingersoll Rand (NYSE:IR) is a world leader in creating and sustaining safe, comfortable and efficient environments in commercial, residential and industrial markets. Our people and our family of brands — including Club Car®, Hussmann®, Ingersoll Rand®, Schlage®, Thermo King® and Trane® — work together to enhance the quality and comfort of air in homes and buildings, transport and protect food and perishables, secure homes and commercial properties, and increase industrial productivity and efficiency. We are a \$13 billion global business committed to sustainable business practices within our company and for our customers.

[ingersollrand.com](http://ingersollrand.com)

**Hussmann Corporation**  
12999 St. Charles Rock Rd.  
Bridgeton, MO 63044  
Ph: 314-291-2000  
Fax: 314-298-4756

[www.hussmann.com](http://www.hussmann.com)